

Fall 10-13-2016

Measurement of the Longitudinal Double-spin Asymmetry for Neutral Pion Production in Polarized Proton Collisions at $\sqrt{s} = 510\text{GeV}$

Taegyun Kim
taegyun.kim@valpo.edu

Follow this and additional works at: <http://scholar.valpo.edu/fires>

Recommended Citation

Kim, Taegyun, "Measurement of the Longitudinal Double-spin Asymmetry for Neutral Pion Production in Polarized Proton Collisions at $\sqrt{s} = 510\text{GeV}$ " (2016). *Fall Interdisciplinary Research Symposium*. Paper 18.
<http://scholar.valpo.edu/fires/18>

This Poster Presentation is brought to you for free and open access by the Office of Sponsored and Undergraduate Research at ValpoScholar. It has been accepted for inclusion in Fall Interdisciplinary Research Symposium by an authorized administrator of ValpoScholar. For more information, please contact a ValpoScholar staff member at scholar@valpo.edu.

1 Double-Spin Asymmetry in Neutral Pion (π^0)
2 Production in Longitudinally Polarized $p + p$
3 Collisions

4 Valparaiso University
5 Taegyun Kim

6 July 21, 2016

7 Beyond the valence quarks' spin contribution to the total spin of a proton,
8 gluon and sea quark contributions are becoming clear as well. For proton-
9 proton collisions at a center of mass energy of 510 GeV, neutral pion produc-
10 tion is dominated by gluon-gluon and gluon-quark scattering. An avenue to
11 constrain the gluon polarization is the asymmetry, A_{LL} , in the production of
12 neutral pions from collisions of longitudinally spin-polarized proton beams.
13 Our experiment was performed with the STAR detector at the Relativistic
14 Heavy Ion Collider (RHIC), unique for its ability to collide spin-polarized pro-
15 ton beams. The Endcap Electromagnetic Calorimeter (EEMC) of the STAR
16 detector with its pseudorapidity (η) range between 1.09 and 2.00 and full
17 azimuthal coverage measures energies of photons from π^0 decays. We con-
18 sider the invariant mass of all photon pairs in the EEMC as we identify π^0
19 candidates. We will present the current status of the analysis of the π^0 A_{LL}
20 as measured by the EEMC at STAR in 2012 data with center-of-mass energy
of 510 GeV.