

April 1979

## Additions to the Checklist of the Illinois Spiders

J. A. Beatty

*Southern Illinois University*

J. M. Nelson

*Oral Roberts University*

Follow this and additional works at: <http://scholar.valpo.edu/tgle>



Part of the [Entomology Commons](#)

---

### Recommended Citation

Beatty, J. A. and Nelson, J. M. (1979) "Additions to the Checklist of the Illinois Spiders," *The Great Lakes Entomologist*: Vol. 12 : No. 1 , Article 9.

Available at: <http://scholar.valpo.edu/tgle/vol12/iss1/9>

This Peer-Review Article is brought to you for free and open access by the Department of Biology at ValpoScholar. It has been accepted for inclusion in The Great Lakes Entomologist by an authorized administrator of ValpoScholar. For more information, please contact a ValpoScholar staff member at [scholar@valpo.edu](mailto:scholar@valpo.edu).

## ADDITIONS TO THE CHECKLIST OF ILLINOIS SPIDERS

J. A. Beatty<sup>1</sup> and J. M. Nelson<sup>2</sup>

## ABSTRACT

Five families and 140 species of spiders not included in former Illinois checklists are recorded. Two of these families, Antrodiaetidae and Scytodidae, and 40 of the species have been cited in earlier revisionary or other literature. The families Oonopidae, Symphytognathidae (s.lat.) and Ctenidae, and the remaining 100 species of spiders are recorded from Illinois for the first time. Locality data are given as counties only, and months of capture of mature specimens are presented. The total known spider fauna of Illinois now stands at 500 species in 27 families.

---

Kaston (1955) published a checklist of Illinois spiders, to which Moulder (1966) made a few additions. The former paper included 350 species (incorrectly reported in Kaston's text as 342), the latter added 13 species. As of 1966, therefore, the known Illinois spider fauna (exclusive of a few additions in the revisionary literature, to be noted below) included 363 species, three of which have since been dropped from the list as junior synonyms.

During the past 20 years, several papers on North American spiders have listed additional Illinois species, and our collecting in southern Illinois for the past 12 years has added many more. It is the purpose of this paper to bring together all new literature records since the above-mentioned checklists, and to report additional new records.

The new records are based primarily on specimens collected by us, and on those in the collection of the Department of Zoology of Southern Illinois University at Carbondale, where the entire collection is housed, except for a few specimens in the collection of the second author. The specimens on which our new records are based were taken in 18 southern Illinois counties, the majority of them in Jackson, Johnson, Pope, Union, and Williamson counties. The collecting localities for most specimens taken in Johnson, Pope, and Union counties were Ferne Clyffe State Park, the Lusk Creek valley area, and the LaRue-Pine Hills swamp region, respectively.

For each species we present, in the following order: (1) reference to previous reports in the taxonomic literature (when these exist); (2) our new records; (3) months in which specimens have been collected (mature specimens, only, unless otherwise noted); and, (4) in a few instances, some brief comments. Other data have been omitted to reduce the length of the text. A collecting period reported as "Apr.-Aug." means that mature specimens were collected in each month from April through August, inclusive.

A total of 140 species and five families not recorded by either Kaston (1955) or Moulder (1966) is included here. These comprise 100 species and three families recorded by us for the first time, and 40 species and two families cited in revisionary, distributional, or ecological papers by other authors. Thus the state fauna now known totals 500 species in 27 families. The previous checklists recorded 26 families as occurring in Illinois. The classification we use recognizes fewer families than those employed by Kaston (1955, 1972) or Moulder (1966), hence our total of only 27, after addition of five more.

## ANTRODIAETIDAE

First Illinois record of the family by Coyle (1968).

---

<sup>1</sup>Department of Zoology, Southern Illinois University, Carbondale, IL 62901.

<sup>2</sup>Department of Natural Science, Oral Roberts University, Tulsa, OK 74105.

*Antrodiaetus unicolor* (Hentz). First Illinois record by Coyle (1971) from Jackson, Johnson, Pope and Union counties. New record: Hardin County. Males, Oct., Nov.; females, Apr.-June, Sept.-Nov.

*Atypoides hadros* Coyle. First Illinois record by Coyle (1968, 1971) from Jackson, Johnson, Pope and Union counties. Males, Sept.-Nov.; females, Sept., Oct.

#### DYSDERIDAE

*Ariadna bicolor* (Hentz). First Illinois record by Beatty (1970) from Bond, Jackson, Macoupin, Union and Williamson counties. New records: Johnson, Madison and Pope counties. Males, Sept.-Oct.; females, Apr.-Oct.

#### OONOPIDAE

This is the first Illinois record of this family.

*Orchestina saltitans* Banks. Jackson County. Male, June.

#### SCYTODIDAE

First Illinois record of the family by Gorham (1970) and Unzicker (1970).

*Loxosceles reclusa* Gertsch & Mulaik. Previous Illinois record from most counties in the southern third of the state by Gorham (1970), Unzicker (1970), and many local newspapers. New record: Williamson County. Males, Apr.-Oct.; females Apr., May, July-Nov.

*L. rufescens* (Dufour). First Illinois record by Unzicker (1972) from Fayette County.

*Scytodes thoracica* (Latreille). Jackson and Union counties. Males, June; females, June, July, Oct.

#### PHOLCIDAE

*Spermophora meridionalis* Hentz. Jackson County. Males, Feb., May; females, Oct.

#### THERIDIIDAE

*Achaearanea porteri* (Banks). Gallatin, Jackson, Johnson, Pope and Union counties. Males, May, June, Aug.; females, May, July, Aug., Oct., Nov.

*Argyrodes cancellatus* (Hentz). Jackson and Williamson counties. Males, June, July; females, June, Aug.

*A. elevatus* Taczanowski. Pope and Williamson counties. Males, May, Aug.; females, Aug., Sept.

*A. fictitium* (Hentz). Hardin, Jackson and Williamson counties. Subadult male, Oct.; females, Aug., Sept.

*A. trigonum* (Hentz). Jackson and Johnson counties. Males, May, June; females, May, June, Sept., Oct.

*Ctenium frontata* Banks. Johnson and Union counties. Male, Jan.; females, Jan., June, July, Sept., Nov.

*Dipoena prona* (Menge). Jackson County. Female, May.

*Enoplognatha joshua* Chamberlin & Ivie. Jackson County. Female, June. This may be the species recorded by Kaston (1955) as *Enoplognatha rugosa* Emerton (See Levi, 1957).

*E. tecta* Keyserling. First Illinois record by Levi (1957), from Cook and Piatt counties.

*Euryopsis quinquemaculata* Banks. Pope County. Male, May.

*Latrodectus variolus* Walckenaer. First Illinois record (as *L. curacaviensis*) by Levi (1959) from Coles, Effingham, Kankakee, LaSalle, Lawrence and Pope counties. New records: Gallatin, Jackson and Williamson counties. Males, May, June; females, May, June. Oct.

*Phoroncidia americana* (Emerton). Jackson County. Female, May.

- Stemmops ornatus* (Bryant). Jackson and Union counties. Males, June, Aug.; females, June, Oct.
- Theridion alabamense* Gertsch & Archer. First Illinois record by Levi (1957) from Pope County. New records: Gallatin, Jackson and Johnson Counties. Males, Apr.-June; females, June, Aug.
- T. albidum* Banks. First Illinois record by Levi (1957) from Champaign County. New records: Jackson and Johnson Counties. Males, June; females, June-Sept.
- T. antonii* Keyserling. Jackson and Johnson Counties. Males, June; females, June, Oct.
- T. berkeleyi* Emerton. First Illinois record by Levi (1957) from Lake, Sangamon and Winnebago counties. New record: Johnson County. Female, May.
- T. crispulum* Simon. Williamson County. Female, June.
- T. flavonotatum* Becker. Hamilton and Jackson counties. Males, May, July; females, June.
- T. llano* Levi. Pope County. Male, May-June.
- T. lyricum* Walckenaer. Jackson, Johnson, Pope and Williamson counties. Males, Aug., Sept.; females, May, June, Aug.-Oct.
- T. neshamini* Levi. First Illinois record by Levi (1957) from Madison County.
- T. pictipes* Keyserling. Jackson and Pope counties. Males, May, June, Aug.; females, May, June, Aug., Oct.
- Thymoites pallida* (Emerton). Union County. Male, Sept.

## SYMPHYTOGNATHIDAE

This family has not previously been recorded from Illinois.

- Maymena ambita* (Barrows). Jackson and Pope counties. Females, May.
- Mysema guttata* (Banks). Pope County. Female, May.

## LINYPHIIDAE

- Ceraticelus creolus* Chamberlin. Jackson and Massac counties. Males, June; females, Apr., June.
- C. micropalpis* (Emerton). Union County. Females, Aug., Sept.
- C. minutus* (Emerton). Pope County. Females, June, Oct., Nov.
- Ceratinopsis formosa* (Banks). Jackson and Union counties. Males, July, Sept.; females, Oct.
- Ceratinopsis laticeps* Emerton. Pope County. Females, May.
- C. purpurescens* (Keyserling). Franklin, Hamilton, Jackson, Pope, Saline and Williamson counties. Males, May, June; females, May-July.
- C. tarsalis* Emerton. Hardin County. Male, July.
- Floricomus rostratus* (Emerton). Randolph County. Male, June.
- Gonatium rubens* Blackwall. Jackson County. Female, Nov.
- Grammonota inornata* Emerton. Jackson, Pulaski, Union and Williamson counties. Males, June, Oct.; females, July, Oct.
- G. pictilis* (O.P.-Cambridge). First Illinois record by Jennings (1976) from Hardin County.
- Lepthyphantes sabulosa* (Keyserling). Jackson, Johnson, Pope and Union counties. Males, July, Oct., Nov.; females, Oct., Nov.
- Paracornicularia bicapillata* Crosby & Bishop. Union County. Males, Nov.; females, Nov.
- Phanetta subterranea* Emerton. Johnson County. Male, Dec.
- Tapinopa bilineata* Banks. Williamson County. Immatures only.

## ARANEIDAE

- Acanthepeira cherokee* Levi. First Illinois record by Levi (1976). Jackson County. Male, Oct.; female, March.
- A. marion* Levi. First Illinois record by Levi (1976). Jackson County. Females, April, Oct.
- Alpaida calix* (Walckenaer). Jackson County. Female, May.

- Araneus bonsallae* (McCook). First Illinois record by Levi (1973), counties not indicated. Jackson, Madison and Williamson counties. Males, June; females, June.
- A. cingulatus* (Walckenaer). First Illinois record by Levi (1973), counties not stated. Madison County. Female, June.
- A. gemmoides* Chamberlin and Ivie. First Illinois record by Levi (1971), county not stated, probably Boone or Winnebago (see distribution map in Levi, 1971).
- A. gigas* (Leach) (= *A. bicentenarius* (McCook)). Jackson County. Female, June.
- A. guttulatus* (Walckenaer). First Illinois record by Levi (1973), county not stated, probably Clark (see distribution map in Levi, 1973).
- A. niveus* (Hentz). First Illinois record by Levi (1973), counties not stated. Records: Pope and Williamson counties. Females, Aug., Sept.
- A. partitus* (Walckenaer). First Illinois record by Levi (1973), county not stated. This is probably the species recorded by Kaston (1955) as *Conepeira miniata* (Walckenaer) (see Levi, 1973).
- Dolichognatha pentagona* (Hentz). Jackson County. Males, June; females, June, Sept., Oct.
- Hypsoyinga funebris* (Keyserling). First Illinois record by Levi (1972), as *H. singaeformis* (Scheffer), county not stated. Record: Jackson County. Females, June.
- Mastophora bisaccata* (Emerton). Pope County. Female, Sept.
- M. phrynosoma* Gertsch. Jackson County. Female, Aug.
- Neoscona domiciliorum* (Hentz). Jackson and Williamson counties. Females, Sept., Oct.
- Pachygnatha brevis* Keyserling. Jackson County. Female, no date, probably March or April.
- Singa keyserlingi* McCook. First Illinois record by Levi (1972), no counties stated. Record: Jackson County. Males, Oct.; females, May.
- Tetragnatha seneca* Seeley. Jackson, Johnson, Pope and Williamson counties. Females, July-Sept.

## MIMETIDAE

- Ero furcata* (Villers). Jackson, Massac and Pope counties. Males, May, Oct.; females, April.
- Mimetus epeiroides* Emerton. Jackson County. Immatures only, Aug.
- M. puritanus* Chamberlin. Jackson, Johnson, Randolph and Union counties. Males, June, July; females, June-Aug.

## HAHNIIDAE

- Antistea brunnea* (Emerton). First Illinois record by Opell and Beatty (1976), county not stated. Record: Lake County. Female, May.
- Hahnia flaviceps* Emerton. First Illinois record by Opell and Beatty (1976), counties not stated. Records: Fayette, Randolph, Saline and Union counties. Males, Mar.; females, Feb.-Apr., June, Oct., Nov.

## AGELENIDAE

- Agelenopsis emertoni* Chamberlin & Ivie. Jackson, Johnson and Union counties. Males, April, Sept.-Nov.; females, April, Aug.-Nov.
- A. kastoni* Chamberlin & Ivie. Gallatin, Jackson and Pope counties. Males, April, May, Oct.; females, May, June.
- Calymmaria cavicola* (Banks). Hardin and Johnson counties. Male, Oct.; female, March.
- Coras taugynus* Chamberlin. Jackson and Union counties. Males, Oct.; females, Oct.
- Cybaeus silicis* Barrows. Johnson County. Males, Oct.; females, Oct.

## PISAUROIDAE

- Dolomedes albineus* Hentz. Jackson and Williamson counties. Females, June, Aug.

*Pisaurina dubia* (Hentz). Jackson, Massac, Union and Williamson counties. Males, April, May; females, May.

## OXYOPIDAE

*Oxyopes aglossus* Chamberlin. Gallatin and Jackson counties. Males, May, June; females, June, Aug.

## LYCOSIDAE

*Lycosa georgicola* Walckenaer. Jackson, Pope and Wayne counties. Males, Oct.; females, Aug., Oct.

*L. hentzi* Banks. Massac and Pope counties. Immatures only, Apr., Sept.

*L. pulchra* (Keyserling). Jackson, Johnson, Pope and Union counties. Males, Feb., Oct., Nov.; females, Feb., Oct.

*Pardosa lapidicina* Emerton. Jackson and Williamson counties. Males, May; females, April, August.

*Pirata alachua* Gertsch & Wallace. Jackson, Pope and Union counties. Males, May-July; females, May-Sept.

*P. spiniger* (Simon). Jackson County. Male, Nov.

## GNAPHOSIDAE

*Callilepis pluto* Banks. First Illinois record by Platnick (1975), from Kankakee County.

*Drassylus covensis* Exline. Pope and Union counties. Males, May; females, May-June.

*D. creolus* Chamberlin & Gertsch. Pope County. Males, May; females, May.

*D. fallens* Chamberlin. Jackson and Pope counties. Males, June; females, June.

*D. frigidus* (Banks). Union County. Male, Feb.

*Gnaphosa fontinalis* Keyserling. First Illinois record by Platnick and Shadab (1975) from Jackson, Pope and Union counties. New record: Saline County. Males, May; females, May, July.

*Haplodrassus bicornis* (Emerton). First Illinois record by Platnick and Shadab (1975), from Coles County. New records: Pope County. Males, May, June; females, May.

*Litopyllus rupicolens* Chamberlin. Jackson County. Female, Aug.

*Micaria laticeps* Emerton. Massac and Pope counties. Males, April, May.

*Rachodrassus exlinae* Platnick and Shadab. Pope and Williamson counties. Males, June; females, March.

*Zelotes duplex* Chamberlin. Jackson, Massac, Pope and Saline counties. Males, April, May; females, May, June.

## CLUBIONIDAE

*Castianeira amoena* (C. Koch). Johnson and Pope counties. Females, July, Sept.

*C. crocata* (Hentz). Jackson, Madison and Pope counties. Females, May-July.

*C. variata* Gertsch. Jackson and Union counties. Males, May, July; females, August.

*Chiracanthium mildei* L. Koch. Jackson County. Males, May-July, Sept., Oct.; females, April-June, Nov., Dec.

*Clubiona bryantae* Gertsch. First Illinois record by Edwards (1958) from "nr. Chicago," Cook County.

*C. catawba* Gertsch. Alexander, Hardin and Pope counties. Males, April, May; females, May, June.

*C. kastoni* Gertsch. Pope County. Females, May, June.

*C. moesta* Banks. First Illinois record by Edwards (1958), from Cook County.

*Phrurotimpus illudens* Gertsch. Pope County. Males, May-July; females, May, July.

*Scotinella britcheri* (Petrunkevitch). Jackson and Pope counties. Males, May, Oct.; females, April.

*S. similis* (Banks). Union County. Females, Oct.

*Strotarchus piscatorius* (Hentz). Jackson and Johnson counties. Males, May, June; females, June.

#### ANYPHAENIDAE

*Anyphaena celer* (Hentz). First Illinois record by Platnick (1974), from Jackson County. New record: Pope County. Males, Oct.; females, Oct.

*A. maculata* (Banks). First Illinois record by Platnick (1974), from Pope County. New record: Jackson County. Males, Oct.; females, Oct.

*Wulfila alba* (Hentz). First Illinois record by Platnick (1974), no counties stated. Jackson, Pope and Williamson counties. Males, June; females, June, August.

#### CTENIDAE

This is the first Illinois record of this family.

*Anahita animosa* (Walckenaer). Jackson County. Immature only, April.

*Zora pumila* (Hentz). Jackson County. Immature only, March.

#### THOMISIDAE

*Philodromus bimuricatus* Dondale & Redner. Jackson County. Female, June.

*P. infuscatus* Keyserling. First Illinois record by Dondale and Redner (1969), from Jackson County. New record: Johnson County (Ferne Clyffe State Park). Dondale and Redner recorded this species from Ferne Clyffe State Park, but mistakenly listed this locality as being in Jackson County. Females, Oct., Nov.

*P. keyserlingi* Marx. Jackson and Madison counties. Males, June, July; females, July.

*P. minutus* Banks. First Illinois record by Jennings (1976), from Hardin County. New records: Jackson, Pope and Williamson counties. Males, May, June; Females, May, June.

*P. montanus* Bryant. First Illinois record by Jennings (1976), from Hardin County. New record: Jackson County. Males, April.

*P. oneida* Levi. First Illinois record by Dondale and Redner (1968), from Champaign County.

*P. placidus* Banks. Jackson County. Male, June.

*P. praelustris* Keyserling. First Illinois record by Jennings (1976), from Hardin County.

*P. pratariae* (Scheffer). First Illinois record by Dondale and Redner (1969), from Williamson County. New records: Jackson, Pope and Union counties. Males, Aug., Sept.; females, July-Oct.

*Thanatus rubicellus* Mello-Leitao. Pope County. Males, October.

*Xysticus texanus* Banks. Perry and Union counties. Males, July; females, July.

#### SALTICIDAE

*Ballus youngii* Peckham. Pope and Union counties. Males, April; females, April.

*Habronattus decorus* (Blackwall). Madison County. Females, June.

*Phidippus cardinalis* (Hentz). Jackson County. Males, Sept., Oct.; females, Oct.

*P. pius* Scheffer. Pope County. Males, June.

*P. putnamii* (Peckham). Jackson and Johnson counties. Males, July, August.

*Phlegra fasciata* (Hahn). Jackson and Pope counties. Males, May.

*Sassacus papenhoei* Peckham. Jackson County. Females, June.

*Sitticus fasciger* (Simon). Jackson and Williamson counties. Males, April, Nov.; females, Jan., March, Dec.

*Zygoballus sexpunctatus* (Hentz). Alexander, Jackson and Pope counties. Males, June; females, April-June, Oct.

## DICTYNIDAE

- Argenna obesa* Emerton. First Illinois record by Chamberlin & Gertsch (1958), no county stated, probably Cook or Wills (see distribution map in paper cited above).
- Dictyna coloradensis* Chamberlin. First Illinois record by Chamberlin & Gertsch (1958), no county stated, probably Winnebago or Boone (see distribution map in paper cited above).
- D. cruciata* Emerton. Gallatin, Jackson, Pope, Pulaski, Union and White counties. Males, May, June; females, May-July.
- D. formidolosa* Gertsch & Ivie. Pope County. Males, May, June.
- D. hentzi* Kaston. Alexander County. Males, April; females, April.
- Lathys immaculata* Chamberlin & Ivie. Williamson County. Females, February.

## ACKNOWLEDGMENTS

We wish to acknowledge the donation of specimens by present and former faculty members and students of this department, and by many residents of southern Illinois. Special thanks are due Dr. Frank B. Kulfinski, who has donated many specimens from Madison County, and Mr. Jerry Lewis, who has turned up some unusual species during his survey of southern Illinois cave invertebrates. Several students, G. P. Kloek, G. Maas, N. Magnuson, A. D. Parsons, and M. W. Richardson, while employed in entomological surveys also collected spiders. This study was, in part, supported by funds from the Office of Research and Projects, the Pine Hills Field Station, and the Office of the President, all of Southern Illinois University at Carbondale.

## LITERATURE CITED

- Beatty, J. A. 1970. The spider genus *Ariadna* in the Americas (Araneae, Dysderidae). Bull. Mus. Comp. Zool., Harvard. 139:433-518.
- Chamberlin, R. V. and W. J. Gertsch. 1958. The spider family Dictynidae in America north of Mexico. Bull. Amer. Mus. Nat. Hist., 116:1-152.
- Coyle, F. A. 1968. The mygalomorph spider genus *Atypoides* (Araneae: Antrodiaetidae). Psyche. 75:157-194.
- . 1971. Systematics and natural history of the mygalomorph spider genus *Antrodiaetus* and related genera (Araneae: Antrodiaetidae). Bull. Mus. Comp. Zool., Harvard. 141:269-402.
- Dondale, C. D. and J. H. Redner. 1968. The *imbecillus* and *rufus* groups of the spider genus *Philodromus* in North America (Araneida: Thomisidae). Mem. Entomol. Soc. Can., 55:1-78.
- . 1969. The *infuscatus* and *dispar* groups of the spider genus *Philodromus* in North and Central America and the West Indies (Araneida: Thomisidae). Can. Entomol., 101(9):921-954.
- Edwards, R. J. 1958. The spider subfamily Clubioninae of the United States, Canada, and Alaska. Bull. Mus. Comp. Zool., Harvard. 118:365-436.
- Gorham, J. R. 1970. The brown recluse. U.S. Dept. Health, Educ. and Welf., Publ. Health Serv. Publ. No. 2062, broadsheet.
- Jennings, D. T. 1976. Spiders on black walnut. Amer. Midl. Nat., 95:111-119.
- Kaston, B. J. 1955. Check list of Illinois spiders. Trans. Ill. Acad. Sci. 47:165-172.
- . 1972. How to know the spiders, ed. 2. Wm. C. Brown Co., Dubuque, Iowa.
- Levi, H. W. 1957. The spider genera *Enoplognatha*, *Theridion*, and *Paidisca* in America north of Mexico (Araneae, Theridiidae). Bull. Amer. Mus. Nat. Hist. 112:1-124.
- . 1959. The spider genus *Latrodectus* (Araneae, Theridiidae). Trans. Amer. Mic. Soc. 78:7-43.
- . 1971. The *diadematus* group of the orb-weaver genus *Araneus* north of Mexico (Araneae: Araneidae). Bull. Mus. Comp. Zool., Harvard. 141:131-179.



- . 1972. The orb-weaver genera *Singa* and *Hypsosinga* in America (Araneae: Araneidae). *Psyche*. 78:229-256.
- . 1973. Small orb-weavers of the genus *Araneus* north of Mexico (Araneae: Araneidae). *Bull. Mus. Comp. Zool., Harvard*. 145:473-552.
- . 1976. The orb-weaver genera *Verrucosa*, *Acanthepeira*, *Wagneriana*, *Acacesia*, *Wixia*, *Scoloderus* and *Alpaida* north of Mexico (Araneae: Araneidae). *Bull. Mus. Comp. Zool., Harvard*. 147:351-391.
- Moulder, B. C. 1966. Spiders of Illinois: additional species. *Trans. Ill. State Acad. Sci.* 59:294-295.
- Opell, B. D., and J. A. Beatty. 1976. The Nearctic Hahniidae (Arachnida, Araneae). *Bull. Mus. Comp. Zool., Harvard*. 147:393-433.
- Platnick, N. I. 1974. The spider family Anyphaenidae in America north of Mexico. *Bull. Mus. Comp. Zool., Harvard*. 146:205-266.
- . 1975. A revision of the Holarctic spider genus *Callilepis* (Araneae, Gnaphosidae). *Amer. Mus. Novitates*, 2573:1-32.
- Platnick, N. I. and M. U. Shadab. 1975. A revision of the spider genus *Gnaphosa* (Araneae, Gnaphosidae) in America. *Bull. Amer. Mus. Nat. Hist.* 155(1):1-150.
- Unzicker, J. D. 1970. The spider *Loxosceles rufescens* (Dufour) in Illinois: a correction. *Entomol. News*, 81:188.
- . 1972. The first record of the spider *Loxosceles rufescens* (Dufour) in Illinois. *Entomol. News*. 83:119-120.