

The Great Lakes Entomologist

Volume 21
Number 3 - Fall 1988 *Number 3 - Fall 1988*

Article 4

October 1988

Araphe Carolina in Illinois (Hemiptera: Largidae)

John K. Bouseman
Illinois Natural History Survey

Follow this and additional works at: <https://scholar.valpo.edu/tgle>



Part of the [Entomology Commons](#)

Recommended Citation

Bouseman, John K. 1988. "*Araphe Carolina* in Illinois (Hemiptera: Largidae)," *The Great Lakes Entomologist*, vol 21 (3)

DOI: <https://doi.org/10.22543/0090-0222.1644>

Available at: <https://scholar.valpo.edu/tgle/vol21/iss3/4>

This Peer-Review Article is brought to you for free and open access by the Department of Biology at ValpoScholar. It has been accepted for inclusion in *The Great Lakes Entomologist* by an authorized administrator of ValpoScholar. For more information, please contact a ValpoScholar staff member at scholar@valpo.edu.

ARAPHE CAROLINA IN ILLINOIS (HEMIPTERA: LARGIDAE)John K. Bouseman¹

Araphe carolina (Herrich-Schäffer) is a little-known species that has been recorded "from North Carolina south to Florida, thence west through Tennessee to Arizona and Baja California" (Halstead, 1972). Froeschner (1944) characterized it as a "scarce species" in recording it from five counties in the Ozark Region of southern Missouri. The purpose of this note is to provide the first records of *A. carolina* in Illinois and incidentally to provide the first record of any largid bug in the state.

On 11 and 12 June, 1966, I collected insects at Pine Hills Recreation Area in Union County, Illinois. While collecting from flowerheads of New Jersey tea, *Ceanothus americanus* (Rhamnaceae), at a site ca. 8 km. north of Wolf Lake, I took a macropterous female of *A. carolina* on the first day and a micropterous female on the second. This specific collection site was later used by McPherson and Mohlenbrock (1976) in their study of the Scutelleroidea of the LaRue-Pine Hills Ecological Area and designated "Collecting Site 15." The reader is referred to their study for a description of the collecting area.

No host information is available for *A. carolina*. The two Illinois records along with an earlier record (Banks, 1912) of a related largid bug, *Largus succinctus* L., on *Ceanothus americanus* in Virginia suggest that the association of largid bugs with this plant might be more than casual.

ACKNOWLEDGMENTS

This publication is a contribution of the Illinois Natural History Survey and the Illinois Agricultural Experiment Station, College of Agriculture, University of Illinois at Urbana-Champaign. It was supported in part by Hatch Project No. 12-0361, Biosystematics of Insects. Thanks are due to G. L. Godfrey and D. J. Voegtlin for their comments on a version of this paper and to J. E. McPherson for suggesting its publication.

LITERATURE CITED

- Banks, N. 1912. At the *Ceanothus* in Virginia. Entomol. News 23:102-110.
 Froeschner, R. C. 1944. Contributions to a synopsis of the Hemiptera of Missouri, Pt. 3. Lygaeidae, Pyrrhocoridae, Piesmididae, Tingididae, Enicocephalidae, Phymatidae, Ploiariidae, Reduviidae, Nabidae. Amer. Midl. Nat. 31:638-683.
 Halstead, T. F. 1972. A review of the genus *Araphe* Herrich-Schäffer. Pan-Pacific Entomol. 48:1-7.
 McPherson, J. E., and R. H. Mohlenbrock. 1976. A list of the Scutelleroidea of the La Rue-Pine Hills Ecological Area with notes on biology. Great Lakes Entomol. 9:125-169.

¹Section of Economic Entomology, Illinois Natural History Survey, 607 E. Peabody, Champaign, IL 61820