

Summer 2013

Cyclization Reactions of Enamines in Aqueous Solution

Jack Albert
Valparaiso University

Follow this and additional works at: <https://scholar.valpo.edu/cus>

 Part of the [Chemistry Commons](#)

Recommended Citation

Albert, Jack, "Cyclization Reactions of Enamines in Aqueous Solution" (2013). *Symposium on Undergraduate Research and Creative Expression (SOURCE)*. 284.
<https://scholar.valpo.edu/cus/284>

This Poster Presentation is brought to you for free and open access by the Office of Sponsored and Undergraduate Research at ValpoScholar. It has been accepted for inclusion in Symposium on Undergraduate Research and Creative Expression (SOURCE) by an authorized administrator of ValpoScholar. For more information, please contact a ValpoScholar staff member at scholar@valpo.edu.

Author: **Jack Albert**

Department: Chemistry

Faculty Sponsor: Gil Cook

Title: *Cyclization Reactions of Enamines in Aqueous Solution*

Abstract:

Enamines are organic molecules with a nitrogen atom adjacent to a carbon-carbon double bond formed by a reaction between an aldehyde/ketone and a secondary amine. It has previously been found that when a secondary amine with a nucleophilic side chain is reacted with an aldehyde/ketone, instead of forming an enamine, a cyclization reaction occurs. These reactions are carried out in organic solvents such as benzene or toluene. The current study is an attempt to create a green synthesis of these species, by studying reactions of 2-piperidinemethanol with various aldehydes/ketones in water (**Figure 1**) and reactions of 2-piperidineethanol with various aldehydes/ketones in water (**Figure 2**).




Figure 1




Figure 2

The products of these reactions are studied with gas chromatography-mass spectroscopy (GC-MS), nuclear magnetic resonance spectroscopy (NMR) and infrared spectroscopy (IR). Research is ongoing.

